Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- 1.-23. (Canceled)
- 24. (Currently Amended) The compound of claim [[23]]40, wherein

 R^{2G} is a member selected from hydrogen, substituted or-unsubstituted (C₁-C₁₀) alkyl,

 substituted or-unsubstituted 2-10 membered heteroalkyl, substituted or-unsubstituted
 (C₃-C₇)cycloalkyl, substituted or-and unsubstituted 3-7 membered heterocycloalkyl,
 substituted or-unsubstituted or-unsubstituted or-unsubstituted heteroaryl;
- J-is a substituted or unsubstituted ring selected from substituted or unsubstituted 3-7
 membered heterocycloalkyl, substituted or unsubstituted aryl, and substituted or
 unsubstituted heteroaryli

t is 1: and

R21 is hydrogen.

- $\label{eq:compound} \textbf{25}. \qquad \text{(Currently Amended) The compound of claim $[[\frac{1}{2}]]$\underline{40}$, wherein R^{20} is a branched or unbranched (C_1-C_{10})alkyl.}$
 - (Canceled)
- $\begin{tabular}{ll} \bf 27. & (Currently Amended) The compound of claim [[4]] \bf 40, wherein L^1 and L^2 are members independently selected from a bond and unsubstituted (C_1-C_6) alkylene. \end{tabular}$
 - 28.-31. (Canceled)
- (Currently Amended) A pharmaceutical composition comprising a
 pharmaceutically acceptable excipient and the compound of claim [[4]]40.

33. (Currently Amended) The compound of claim [[4]]40, having the formula

wherein.

$$\begin{split} L^{1}-R^{1} &\text{ is a member selected from methyl, -OR}^{1,0}, -C(O)OR}^{1,0}, CH_{2}-OR}^{1,0}, (CH_{2})_{2}-OR}^{1,0}, \\ &NR^{1C}R^{1D}, -C(O)NR^{1C}R^{1D}, -CH_{2}-NR^{1C}R^{1D}, \text{ and -}(CH_{2})-NR^{1C}R^{1D}; -\text{and -}(CH$$

R⁵-is a member-selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted eyeloalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted heteroaryl, and substituted or unsubstituted aryl.

34.-36. (Canceled)

- 37. (Previously Presented) The compound of claim 33, wherein L^1 - R^1 is a member selected from -CH₂-OR^{1A}, and -(CH₂)-NR^{1C}R^{1D}.
 - 38. (Currently Amended) The compound of claim [[1]]40, having the formula

wherein,

L¹-R¹ is a member selected from methyl, -OR^{1A}, -C(O)OR^{1A}, CH₂-OR^{1A}, (CH₂)₂-OR^{1A},

NR^{1C}R^{1D}, -C(O)NR^{1C}R^{1D}, -CH₂-NR^{1C}R^{1D}, and -(CH₂)-NR^{1C}R^{1D}; and

R^{5A} is a member selected from hydrogen, halogen, -OR^{5A‡}, -NR^{5A2}R^{5A3}, -S(O₂)NR^{5A2}R^{5A3}

CN substituted on memberity of all cubstituted or memberity to detail the second of the control of

-CN, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted eycloalkyl, substituted or unsubstituted heteroeycloalkyl, substituted or unsubstituted or unsubstituted or unsubstituted heteroaryl, wherein

Appl. No. 10/591,884 Amendment C dated October 18, 2010 Reply to Office Action of July 16, 2010

- R^{5A1}-is-a member-selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted eyeloalkyl, substituted or unsubstituted heteroeyeloalkyl, substituted or unsubstituted aryl, and substituted or unsubstituted heteroaryl, and
- R^{5A2} and R^{SA3} are members independently selected from hydrogen, substituted or unsubstituted alkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted heterocycloalkyl, substituted or unsubstituted or unsubstituted heteroaryl.
 - 39. (Currently Amended) The compound of claim [[4]]40, having the formula

40. (New) A compound having the formula

wherein

 L^1 and L^2 are members independently selected from a bond and unsubstituted alkylene; R^1 is a member selected from unsubstituted alkyl, unsubstituted heteroalkyl, unsubstituted heterocycloalkyl, $-OR^{1A}$, $-NR^{1C}R^{1D}$, $-C(O)NR^{1C}R^{1D}$, and $-C(O)OR^{1A}$, wherein R^{1A} is a member selected from hydrogen, unsubstituted alkyl and unsubstituted heteroalkyl.

- R^{1C} and R^{1D} are members independently selected from unsubstituted alkyl and unsubstituted heteroalkyl.
- wherein R^{1C} and R^{1D} are optionally joined to form an unsubstituted ring with the nitrogen to which they are attached, wherein said ring optionally comprises an additional ring nitrogen:

R2 has the formula:

$$-X J$$
 $\left(R^{2G}\right)_{t}$ (V)

wherein

R^{2G} is a member selected from hydrogen, halogen, unsubstituted alkyl, unsubstituted heteroalkyl, unsubstituted cycloalkyl, unsubstituted heterocycloalkyl, -CN, and -CF₂:

J is phenyl;

t is an integer from 0 to 5;

X is -S(O2)-; and

R5 is phenyl optionally substituted with 1-5 R5A groups, wherein

R^{5A} is a member selected from hydrogen, halogen, -OR^{5A1}, -S(O₂)NR^{5A2}R^{5A3}, -CN, and unsubstituted alkyl, wherein

R^{5A1} is a member selected from hydrogen and unsubstituted alkyl, and

 R^{5A2} and R^{5A3} are members independently selected from hydrogen and unsubstituted alkyl.

- 41. (New) The compound of claim 40, selected from the group consisting of:
- (S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-methyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-methyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cvclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-4a-methyl-6-(toluene-4-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Trifluoromethyl-phenyl)-4a-methyl-6-(toluenc-4-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2.6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-4a-methyl-6-(4-morpholin-4-yl-benzenesulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-4a-methyl-6-(4-methyl-3,4-dihydro-2H-benzo[1,4]oxazine-7-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;

- 4-[(S)-1-(4-Fluoro-phenyl)-4a-methyl-1,4,4a,5,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-6-sulfonyl]-benzonitrile;
- (S)-1-(4-Fluoro-phenyl)-6-(4-methoxy-benzenesulfonyl)-4a-methyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-methyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-(2-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-methyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-4a-methyl-6-(toluene-2-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- 4-[(S)-1-(4-Fluoro-phenyl)-4a-methyl-1,4,4a,5,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-6-sulfonyl]-phenylamine;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-4a-carboxylic acid methyl ester;
- [(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-methanol;
- [(R)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-methanol;
- [(R)-1-(4-Fluoro-phenyl)-6-(toluene-4-sulfonyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-methanol;
- [(R)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-methanol;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-methoxymethyl-4,4a,5,6,7,8-hexahvdro-1H-1,2.6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-methoxy-ethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(Benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-hydroxy-ethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-4a-ethoxymethyl-1-(4-fluoro-phenyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(3-methoxy-propoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;

- 3-[(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethoxy]-propionitrile;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-morpholin-4-ylethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-piperidin-1-yl-ethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-pyrrolidin-1-ylethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-methoxy-ethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-methoxymethyl-4,4a,5,6,7,8-hexahydro-1H-1.2.6-triaza-cyclopenta[b]naphthalene;
- (R)-1-(4-Fluoro-phenyl)-4a-methoxymethyl-6-(toluene-4-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1.2.6-triaza-cvclopenta/b|naphthalene;
- (R)-1-(4-Fluoro-phenyl)-4a-(2-methoxy-ethoxymethyl)-6-(toluene-4-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-(2-methoxy-ethoxymethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-methoxymethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-evelopentafblnaphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-4a-carbaldehyde;
- [(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacvclopenta[b]naphthalen-4a-vlmethyl]-dimethyl-amine;
- (S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-morpholin-4-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-(4-Trifluoromethyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-morpholin- 4-ylmethyl-4.4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-pyrrolidin-1-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- ([(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacyclopenta[b]naphthalen-4a-ylmethyl]-ethyl-amine;

- [(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[bnaphthalen-4a-ylmethyl]-diethyl-amine;
- (S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-piperidin-1-ylmethyl-4.4a.5.6.7.8-hexahydro-1H-1.2.6-triaza-cyclopenta[b]naphthalene;
- [(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-(2-methoxy-ethyl)-amine;
- (S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(4-methyl-piperazin-1-ylmethyl)-4.4a.5.6.7.8-hexahvdro-1H-1.2.6-triaza-cyclopentafb]naphthalene;
- N'-[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopentafblnaphthalen-4a-vlmethyl]-N,N-dimethyl-ethane-1,2-diamine;
- N-[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6triaza-e-yclopenta[b]naphthalen-4a-ylmethyl]-N,N',N'-trimethyl-ethane-1,2-diamine;
- N'-[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-N,N-dimethyl-propane-1,3-diamine;
- N-[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-N,N',N'-trimethyl-propane-1,3-diamine;
- [(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-(2-methoxy-ethyl)-methyl-amine;
- [(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-isopropyl-amine;
- (S)-4a-Azetidin-1-ylmethyl-6-(4-tert-butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- Allyl-[(S)-6-(4-tert-butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-amine;
- 2-{[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7-8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-amino}-ethanol;
- [(S)-1-(4-Fluoro-phenyl)-6-(toluene-4-sulfonyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-dimethyl-amine;
- (S)-1-(4-Fluoro-phenyl)-4a-pyrrolidin-1-ylmethyl-6-(toluene-4-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- [(S)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-dimethyl-amine;

- (S)-6-(4-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-pyrrolidin-1-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-pyrrolidin-1-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1.2.6-triaza-cyclopenta[b]naphthalene;
- (S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacyclopenta[b]naphthalen-4a-ylmethyl]-dimethyl-amine;
- (S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-morpholin-4-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1.2.6-triaza-cvclopenta[b]naphthalene;
- 2-{[(S)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopentafblnaphthalen-4a-vlmethyl]-methyl-amino}-ethanol;
- 4-[(S)-1-(4-Fluoro-phenyl)-4a-morpholin-4-ylmethyl-1,4,4a,5,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-6-sulfonyl]-benzonitrile;
- [(S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacyclopenta[b]naphthalen-4a-ylmethyl]-diethyl-amine;
- Diethyl-[(S)-1-(4-fluoro-phenyl)-6-(4-methoxy-benzenesulfonyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-ylmethyl]-amine;
- (S)-6-Benzenesulfonyl-1-(4-fluoro-phenyl)-4a-piperidin-1-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-6-(4-methoxy-benzenesulfonyl)-4a-piperidin-1-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-1-(4-Fluoro-phenyl)-4a-morpholin-4-ylmethyl-6-(toluene-2-sulfonyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (S)-6-(2-Fluoro-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-morpholin-4-ylmethyl-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-4a-carboxylic acid;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacvclopentafblnaphthalene-4a-carboxylic acid benzylamide;
- [(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-morpholin-4-yl-methanone;
- [(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-piperidin-1-yl-methanone;

- [(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-pyrrolidin-1-yl-methanone;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalene-4a-carboxylic acid ethylamide;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacvclopentafblnaphthalene-4a-carboxylic acid dimethylamide;
- 1-[(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopentafb]naphthalen-4a-yl]-ethanol;
- 1-[(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-propan-1-ol;
- [(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triazacvclopentafblnaphthalen-4a-vll-acetic acid methyl ester;
- 2-[(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-ethanol;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-methoxy-ethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopentalblnaphthalene;
- {2-[(R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-1,4,5,6,7,8-hexahydro-1,2,6-triaza-cyclopenta[b]naphthalen-4a-yl]-ethyl}-dimethylamine;
- (R)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-(2-pyrrolidin-1-yl-ethyl)-4,4a,5,6,7,8-hexahydro-1H-1,2,6-triaza-cyclopenta[b]naphthalene; and
- (4aS,8aS)-6-(4-tert-Butyl-benzenesulfonyl)-1-(4-fluoro-phenyl)-4a-morpholin-4-ylmethyl-4,4a,5,6,7,8,8a,9-octahydro-1H-1,2,6-triazacyclopenta[b]naphthalene.